

Part Number	Internal Dimensions [mm]					External Dimensions [mm]			Weight kg
	Length L*	Width W	Height H*	Base	Lid	Length L	Width W	Height H	
102 169-21	130	154	165	110	55	180	200	200	
102 169-22	130	154	220	110	110	180	200	260	
102 057-21	283	249	260	165	95	310	300	295	2.2
102 057-22	283	249	325	165	160	310	300	360	2.2
102 083	285	250	210	130	80	310	295	245	1.8
102 067	300	196	165	80	85	325	245	215	1.9
102 070-31	315	295	425	315	110	400	380	460	4.1
102 070-32	315	295	555	315	240	400	380	590	4.8
102 070-33	315	295	642	315	327	400	380	680	4.9
102 070-21	320	300	337	227	110	400	380	375	3.8
102 070-22	320	300	467	227	240	400	380	505	4.8
102 070-11	330	325	208	98	110	400	380	245	3.8
102 004-11	348	243	140	65	75	385	295	165	2.0
102 004-21	348	243	200	125	75	385	295	225	2.3
102 004-22	348	243	260	125	135	385	295	285	2.6
40 32 03 S	354	276	175	120	55	400	325	215	3.5
40 32 04 S	354	276	240	185	55	400	325	280	3.5
40 32 05 S	354	276	305	185	120	405	325	345	3.5
40 32 06 S	354	276	370	185	185	405	325	410	3.5
102 040-11	355	245	130	75	55	380	295	165	3.5
102 040-22	355	245	200	125	75	380	295	240	3.5
102 163-11	355	290	165	90	75	405	335	195	
102 163-21	355	290	215	140	75	405	335	245	
102 163-31	355	290	265	190	75	405	335	295	
102 149	370	330	220	105	115	400	380	240	3.5
102 099	380	320	335	240	95	420	370	355	4.0
102 179-21	381	263	265	215	50	430	310	300	
102 092	406	332	155	85	70	460	385	170	2.9
102 045	410	218	365	240	125	460	260	415	3.2
102 061	420	210	330	245	85	450	255	375	3.0
48 24 03 S	428	200	175	120	55	480	250	210	2.6
48 24 04 S	428	200	240	185	55	480	250	275	2.8
48 24 05 S	428	200	305	185	120	480	250	340	3.0
48 24 06 S	428	200	370	185	185	480	250	405	3.2
48 32 03 S	428	270	175	120	55	480	320	210	3.1
48 32 04 S	428	270	240	185	55	480	320	275	3.3
48 32 05 S	428	270	305	185	120	480	320	340	3.5
48 32 06 S	428	270	370	185	185	480	320	405	3.7
48 32-165 Trolley	428	270	165	85	80	480	320	245	4.1
48 32-230 Trolley	428	270	230	150	80	480	320	310	4.3
48 32-270 Trolley	428	270	270	150	120	480	320	350	4.5
48 32-335 Trolley	428	270	335	150	185	480	320	415	4.7
48 40 03 S	428	350	175	120	55	480	400	210	3.5
48 40 04 S	428	350	240	185	55	480	400	275	3.7
48 40 05 S	428	350	305	185	120	480	400	340	4.0
48 40 06 S	428	350	370	185	185	480	400	405	4.2
48 40-165 Trolley	428	350	165	85	80	480	400	245	4.5
48 40-230 Trolley	428	350	230	150	80	480	400	310	4.7
48 40-270 Trolley	428	350	270	150	120	480	400	350	5.0
48 40-335 Trolley	428	350	335	150	185	480	400	415	5.2
48 48 03 S	430	430	175	120	55	480	480	210	3.9
48 48 04 S	430	430	240	185	55	480	480	275	4.2
48 48 05 S	430	430	305	185	120	480	480	340	4.4

48 48 06 S	430	430	370	185	185	480	480	405	4.7
48 48-165 Trolley	430	430	165	85	80	480	480	255	5.6
48 48-230 Trolley	430	430	230	150	80	480	480	320	5.9
48 48-270 Trolley	430	430	270	150	120	480	480	350	6.1
48 48-335 Trolley	430	430	335	150	185	480	480	415	6.4
102 174-31	440	440	375	280	95	495	495	405	
102 174-32	440	440	425	280	145	495	495	445	
102 174-41	440	440	425	330	95	495	495	440	
102 174-42	440	440	475	330	145	495	495	495	
102 178-21	445	355	135	80	55	465	410	175	
102 178-22	445	355	180	80	100	465	410	220	
102 178-31	445	355	185	130	55	465	410	225	
102 178-32	445	355	230	130	100	465	410	270	
102 178-41	445	355	240	185	55	465	410	280	
102 178-42	445	355	285	185	100	465	410	325	
102 178-43	445	355	330	185	145	465	410	370	
102 178-44	445	355	375	185	190	465	410	415	
102 036-21	448	305	340	190	150	510	360	375	3.5
102 036-31	448	305	450	300	150	510	360	485	4.0
102 064	460	215	207	100	107	480	265	245	3.0
102 177-31	475	390	185	130	55	495	440	215	
102 177-32	475	390	230	130	100	495	440	260	
102 177-41	475	390	240	185	55	495	440	270	
102 177-42	475	390	285	185	100	495	440	315	
102 177-44	475	390	375	185	190	495	440	405	
102 072-22	480	360	218	103	115	530	415	260	4.0
102 072-32	480	360	273	158	115	530	415	315	4.3
102 072-33	480	360	328	158	170	530	415	370	5.3
102 072-42	480	360	318	203	115	530	415	360	4.6
102 072-43	480	360	373	203	170	530	415	415	5.4
102 072-44	480	360	418	203	215	530	415	460	5.6
102 072-52	480	360	363	248	115	530	415	405	5.0
102 072-53	480	360	418	248	170	530	415	460	5.6
102 072-54	480	360	463	248	215	530	415	505	5.8
102 072-55	480	360	508	248	260	530	415	550	6.0
102 183-22	480	430	315	180	135	535	485	355	
102 183-42	480	430	475	340	135	535	485	520	
Trolley 2010-385	490	432	310	185	125	570	480	385	7.8
Trolley 2010-440	490	432	365	240	125	570	480	440	
Trolley 2010-505	490	432	430	240	190	570	480	505	
102 023-21	493	369	145	90	55	520	420	180	3.2
102 023-31	493	369	185	130	55	520	420	220	3.4
102 023-33	493	369	265	130	135	520	420	300	4.2
102 050-11	493	368	130	75	55	515	425	170	3.8
102 050-21	493	368	165	110	55	515	425	205	3.8
102 050-22	493	368	225	110	115	515	425	265	4.2
102 050-31	493	368	190	135	55	515	425	230	5.5
102 050-32	493	368	250	135	115	515	425	290	5.6
102 050-33	493	368	275	135	140	515	425	315	5.8
54 42 29-15	500	370	275	135	140	535	415	285	4.3
Trolley 2012-420	500	429	350	295	55	570	480	415	
Trolley 2012-465	500	429	395	295	100	570	480	460	
Trolley 2012-480	500	429	410	355	55	570	480	480	
Trolley 2012-525	500	429	455	355	100	570	480	525	
102 039	502	502	490	240	250	570	550	530	6.5
102 181-11	510	430	165	110	55	560	480	210	
56 24 03 S	510	200	175	120	55	565	250	210	2.9
56 24 04 S	510	200	240	185	55	565	250	275	3.1
56 24 05 S	510	200	305	185	120	565	250	340	3.3

56 24 06 S	510	200	370	185	185	565	250	405	3.5
56 32 03 S	510	270	175	120	55	565	320	210	3.4
56 32 04 S	510	270	240	185	55	565	320	275	3.6
56 32 05 S	510	270	305	185	120	565	320	340	3.8
56 32 06 S	510	270	370	185	185	565	320	405	4.1
56 32-165 Trolley	510	270	165	85	80	560	320	245	4.4
56 32-230 Trolley	510	270	230	150	80	560	320	310	4.6
56 32-270 Trolley	510	270	270	150	120	560	320	350	4.8
56 32-335 Trolley	510	270	335	150	185	560	320	415	5.1
56 40 03 S	510	350	175	120	55	560	400	210	3.9
56 40 04 S	510	350	240	185	55	560	400	275	4.1
56 40 05 S	510	350	305	185	120	560	400	340	4.4
56 40 06 S	510	350	370	185	185	560	400	405	4.6
56 40-165 Trolley	510	350	165	85	80	560	400	245	4.9
56 40-230 Trolley	510	350	230	150	80	560	400	310	5.1
56 40-270 Trolley	510	350	270	150	120	560	400	350	5.4
56 40-335 Trolley	510	350	335	150	185	560	400	415	5.6
56 48 03 S	510	428	175	120	55	560	480	210	4.4
56 48 04 S	510	428	240	185	55	560	480	275	4.6
56 48 05 S	510	428	305	185	120	560	480	340	4.9
56 48 06 S	510	428	370	185	185	560	480	405	5.2
56 48-165 Trolley	510	428	165	85	80	575	480	255	6.1
56 48-230 Trolley	510	428	230	150	80	575	480	320	6.3
56 48-270 Trolley	510	428	270	150	120	575	480	360	6.6
56 48-335 Trolley	510	428	335	150	185	575	480	425	6.9
56 56 03 S	510	510	175	120	55	560	560	210	4.8
56 56 04 S	510	510	240	185	55	560	560	275	5.1
56 56 05 S	510	510	305	185	120	560	560	340	5.4
56 56 06 S	510	510	370	185	185	560	560	405	5.7
56 56-165 Trolley	510	510	165	85	80	560	560	245	6.5
56 56-230 Trolley	510	510	230	150	80	560	560	310	6.8
56 56-270 Trolley	510	510	270	150	120	580	560	360	7.1
56 56-335 Trolley	510	510	335	150	185	560	560	415	7.4
Trolley 2012-275	510	429	215	160	55	570	480	275	
Trolley 2012-320	510	429	260	160	100	570	480	320	
Trolley 2012-330	510	429	270	215	55	570	480	330	
Trolley 2012-375	510	429	315	215	100	570	480	375	
Trolley 2018-385	511	511	310	240	70	560	560	385	
Trolley 2018-430	511	511	355	240	115	560	560	430	
Trolley 2018-440	511	511	365	295	70	560	560	440	
Trolley 2018-485	511	511	410	295	115	560	560	485	
102 028-20	519	314	265	205	60	580	365	305	4.0
102 028-21	519	314	300	205	95	580	365	340	
102 028-30	519	314	340	280	60	580	365	380	
102 028-31	519	314	375	280	95	580	365	415	4.3
Trolley 2020-220	538	345	155	100	55	600	400	220	
Trolley 2020-270	538	345	205	100	105	600	400	270	
Trolley 2020-320	538	345	255	200	55	600	400	320	
Trolley 2020-370	538	345	305	200	105	600	400	370	
102 190-21	545	345	135	80	55	600	400	175	
102 190-31	545	345	185	130	55	600	400	225	
102 190-32	545	345	235	130	105	600	400	275	
102 190-41	545	345	270	215	55	600	400	310	
102 190-42	545	345	320	215	105	600	400	360	
102 190-51	545	345	345	290	55	600	400	385	
102 190-52	545	345	395	290	105	600	400	435	
102 186-11	547	403	135	75	60	570	445	160	
102 186-21	547	403	170	110	60	570	445	195	
102 186-22	547	403	225	110	115	570	445	250	

6 4 4	555	355	390	285	105	610	405	420	5.5
61 42 12-6	560	365	100	55	45	615	420	125	4.3
61 42 16-6	560	365	140	95	45	615	420	165	4.4
61 42 23-7	560	365	210	140	70	615	420	235	4.7
102 182-11	564	442	130	85	45	610	490	170	4.6
102 182-21	564	442	185	140	45	610	495	225	5.0
102 010	565	265	425	285	140	620	315	460	4.8
102 087-22	565	360	400	195	205	615	410	440	5.7
102 087-42	565	360	595	390	205	615	410	625	6.0
62 50 25-13	565	450	240	115	125	620	500	250	5.0
62 50 30-16	565	450	300	145	155	620	500	310	5.3
102 051	568	260	295	145	150	590	315	335	4.4
102 187-22	577	582	200	95	105	635	635	255	
102 187-32	577	582	245	140	105	635	635	300	
102 187-33	577	582	290	140	150	635	635	345	
102 187-42	577	582	300	195	105	635	635	355	
102 187-43	577	582	345	195	150	635	635	400	
102 187-44	577	582	400	195	205	635	635	455	
102 187-52	577	582	360	255	105	635	635	415	
102 187-53	577	582	405	255	150	635	635	460	
102 187-54	577	582	460	255	205	635	635	515	
102 187-55	577	582	520	255	265	635	635	575	
102 069-11	580	465	210	100	110	635	510	250	6.2
102 069-21	580	465	310	200	110	635	510	345	6.3
102 069-22	580	465	410	200	210	635	510	445	6.4
102 069-31	580	465	410	300	110	635	510	445	6.4
102 069-32	580	465	510	300	210	635	510	545	6.8
102 069-33	580	465	610	300	310	635	510	645	7.2
Trolley 2008-375	580	517	295	175	120	655	565	375	
Trolley 2008-425	580	517	345	225	120	655	565	425	
Trolley 2008-495	580	517	415	225	190	655	565	495	
Trolley 2014-355	580	525	290	220	70	650	580	355	
Trolley 2014-415	580	525	350	220	130	650	580	415	
Trolley 2014-435	580	525	370	300	70	650	580	435	
Trolley 2014-500	580	525	430	300	130	650	580	495	
64 24 03 S	586	200	175	120	55	640	245	210	3.1
64 24 04 S	586	200	240	185	55	640	245	275	3.4
64 24 05 S	586	200	305	185	120	640	245	340	3.6
64 24 06 S	586	200	370	185	185	640	245	405	3.8
102 027	590	510	240	115	125	640	560	280	6.2
102 155-31	590	350	255	190	65	615	405	285	5.0
102 155-32	590	350	315	190	125	615	405	345	5.3
102 155-33	590	350	385	190	195	615	405	415	5.5
102 161-21	590	430	175	120	55	650	490	205	5.3
102 161-22	590	430	245	120	125	650	490	275	5.6
64 32 03 S	590	270	175	120	55	640	320	210	3.7
64 32 04 S	590	270	240	185	55	640	320	275	3.9
64 32 05 S	590	270	305	185	120	640	320	340	4.2
64 32 06 S	590	270	370	185	185	640	320	405	4.4
64 32-165 Trolley	590	270	165	85	80	640	320	245	4.7
64 32-230 Trolley	590	270	230	150	80	640	320	310	4.9
64 32-270 Trolley	590	270	270	150	120	640	320	350	5.2
64 32-335 Trolley	590	270	335	150	185	640	320	415	5.4
64 40 03 S	590	350	175	120	55	640	400	210	4.2
64 40 04 S	590	350	240	185	55	640	400	270	4.5
64 40 05 S	590	350	305	185	120	640	400	340	4.8
64 40 06 S	590	350	370	185	185	640	400	405	5.0
64 40-165 Trolley	590	350	165	85	80	655	400	255	5.9
64 40-230 Trolley	590	350	230	150	80	655	400	320	6.2

64 40-270 Trolley	590	350	270	150	120	655	400	360	6.5
64 40-335 Trolley	590	350	335	150	185	655	400	425	6.7
64 48 03 S	590	430	175	120	55	640	480	195	4.8
64 48 04 S	590	430	240	185	55	640	480	260	5.1
64 48 05 S	590	430	305	185	120	640	480	325	5.4
64 48 06 S	590	430	370	185	185	640	480	390	5.7
64 48-165 Trolley	590	430	165	85	80	655	480	255	6.5
64 48-230 Trolley	590	430	230	150	80	655	480	320	6.8
64 48-270 Trolley	590	430	270	150	120	655	480	360	7.1
64 48-335 Trolley	590	430	335	150	185	655	480	425	7.4
64 56 03 S	590	510	175	120	55	640	560	210	5.3
64 56 04 S	590	510	240	185	55	640	560	275	5.6
64 56 05 S	590	510	305	185	120	640	560	340	6.0
64 56 06 S	590	510	370	185	185	640	560	405	6.3
64 56-165 Trolley	590	510	165	85	80	655	560	255	7.0
64 56-230 Trolley	590	510	230	150	80	655	560	320	7.3
64 56-270 Trolley	590	510	270	150	120	655	560	360	7.7
64 56-335 Trolley	590	510	335	150	185	655	560	425	8.0
64 64 03 S	590	590	175	120	55	640	640	195	5.9
64 64 04 S	590	590	240	185	55	640	640	260	6.2
64 64 05 S	590	590	305	185	120	640	640	325	6.5
64 64 06 S	590	590	370	185	185	640	640	390	6.9
64 64-165 Trolley	590	590	165	85	80	640	640	245	7.6
64 64-230 Trolley	590	590	230	150	80	640	640	310	7.9
64 64-270 Trolley	590	590	270	150	120	640	640	350	8.2
64 64-335 Trolley	590	590	335	150	185	640	640	415	8.6
102 097	595	595	500	250	250	650	650	530	9.2
Trolley 2000-320	600	477	260	105	155	705	530	325	8.1
Trolley 2000-360	600	477	300	145	155	705	530	360	8.5
Trolley 2000-400	600	477	340	145	195	705	530	400	8.8
66 53 27-11	610	480	250	155	95	660	525	265	5.5
66 53 34-18	610	480	315	150	165	660	525	330	5.8
Trolley 2016-310	615	487	245	160	85	680	545	310	
102 059	625	520	200	100	100	675	565	240	5.3
102 062-10	625	355	180	105	75	680	400	215	4.5
102 062-11	625	355	220	105	115	680	400	255	4.5
102 062-20	625	355	230	155	75	680	400	265	4.6
102 062-21	625	355	270	155	115	680	400	305	4.8
102 062-22	625	355	320	155	165	680	400	355	5.0
102 062-30	625	355	330	255	75	680	400	365	5.3
102 062-31	625	355	370	255	115	680	400	405	5.2
102 062-32	625	355	420	255	165	680	400	455	5.2
102 062-33	625	355	520	255	265	680	400	555	5.5
102 062-40	625	355	430	355	75	680	400	465	6.4
102 062-41	625	355	470	355	115	680	400	505	6.2
102 062-42	625	355	520	355	165	680	400	555	6.3
102 062-43	625	355	620	355	265	680	400	655	7.5
102 062-44	625	355	720	355	365	680	400	755	7.5
102 184-11	625	485	135	90	45	675	535	180	
Trolley 2002-350	630	407	290	210	80	710	465	365	8.1
Trolley 2002-400	630	407	340	260	80	710	465	415	8.4
Trolley 2002-500	630	407	420	250	170	710	465	495	8.7
Trolley 2002-540	630	407	470	260	210	710	465	545	8.9
102 024-21	640	405	145	90	55	665	455	180	4.3
102 024-31	640	405	185	130	55	665	455	220	4.4
102 024-33	640	405	265	130	135	665	455	300	4.8
102 012-21	650	555	325	225	100	710	605	355	8.8
102 022-32	660	660	510	340	170	720	710	550	10.0
102 037	662	570	775	385	390	720	620	815	8.5

72 32 03 S	670	270	175	120	55	720	320	195	4.1
72 32 04 S	670	270	240	185	55	720	320	260	4.4
72 32 05 S	670	270	305	185	120	720	320	325	4.6
72 32 06 S	670	270	370	185	185	720	320	390	4.9
72 32-165 Trolley	670	270	165	85	80	720	320	235	5.1
72 32-230 Trolley	670	270	230	150	80	720	320	300	5.4
72 32-270 Trolley	670	270	270	150	120	720	320	340	5.6
72 32-335 Trolley	670	270	335	150	185	720	320	405	5.9
72 40 03 S	670	350	175	120	55	720	400	195	4.7
72 40 04 S	670	350	240	185	55	720	400	260	5.0
72 40 05 S	670	350	305	185	120	720	400	325	5.3
72 40 06 S	670	350	370	185	185	720	400	390	5.6
72 40-165 Trolley	670	350	165	85	80	720	400	245	6.4
72 40-230 Trolley	670	350	230	150	80	720	400	310	6.7
72 40-270 Trolley	670	350	270	150	120	720	400	350	7.0
72 40-335 Trolley	670	350	335	150	185	720	400	415	7.3
72 48 03 S	670	430	175	120	55	725	480	210	5.3
72 48 04 S	670	430	240	185	55	725	480	260	5.6
72 48 05 S	670	430	305	185	120	725	480	340	5.9
72 48 06 S	670	430	370	185	185	725	480	405	6.2
72 48-165 Trolley	670	430	165	85	80	735	480	255	7.0
72 48-230 Trolley	670	430	230	150	80	735	480	320	7.3
72 48-270 Trolley	670	430	270	150	120	735	480	360	7.6
72 48-335 Trolley	670	430	335	150	185	735	480	425	7.9
72 72 03 S	670	670	175	120	55	720	720	210	7.8
72 72 04 S	670	670	240	185	55	720	720	275	8.2
72 72 05 S	670	670	305	185	120	720	720	340	8.6
72 72 06 S	670	670	370	185	185	720	720	405	8.9
72 72-165 Trolley	670	670	165	85	80	735	720	255	9.5
72 72-230 Trolley	670	670	230	150	80	735	720	320	9.9
72 72-270 Trolley	670	670	270	150	120	735	720	360	10.3
72 72-335 Trolley	670	670	335	150	185	735	720	425	10.6
Trolley 2015-375	670	506	305	235	70	750	560	380	
Trolley 2015-410	670	506	340	235	105	750	560	415	
Trolley 2015-425	670	506	350	280	70	750	560	425	
Trolley 2015-460	670	506	385	280	105	750	560	460	
72 64 03 S	672	591	175	120	55	720	640	210	6.5
72 64 04 S	672	591	240	185	55	720	640	275	6.9
72 64 05 S	672	591	305	185	120	720	640	340	7.2
72 64 06 S	672	591	370	185	185	720	640	405	7.6
72 64-165 Trolley	672	591	165	85	80	735	640	255	8.2
72 64-230 Trolley	672	591	230	150	80	735	640	320	8.6
72 64-270 Trolley	672	591	270	150	120	735	640	360	8.9
72 64-335 Trolley	672	591	335	150	185	735	640	425	9.3
72 56 03 S	675	510	175	120	55	725	560	210	5.9
72 56 04 S	675	510	240	185	55	725	560	275	6.2
72 56 05 S	675	510	305	185	120	725	560	340	6.6
72 56 06 S	675	510	370	185	185	725	560	405	6.9
72 56-165 Trolley	675	510	165	85	80	740	560	255	7.6
72 56-230 Trolley	675	510	230	150	80	740	560	320	7.9
72 56-270 Trolley	675	510	270	150	120	740	560	360	8.3
72 56-335 Trolley	675	510	335	150	185	740	560	425	8.6
102 008-21	680	345	220	175	45	740	395	255	5.8
102 008-22	680	345	275	175	100	740	395	310	5.8
102 008-31	680	345	280	235	45	740	395	315	6.0
102 008-32	680	345	335	235	100	740	395	370	6.0
102 008-41	680	345	340	295	45	740	395	375	6.9
102 008-42	680	345	395	295	100	740	395	430	6.9
102 008-43	680	345	455	295	160	740	395	490	6.9

102 030-21	681	514	217	137	80	735	560	255	
102 030-22	681	514	282	137	145	735	560	320	
102 030-31	681	514	300	220	80	735	560	340	
102 030-32	681	514	365	220	145	735	560	405	
102 030-41	681	514	360	280	80	735	560	400	
102 030-42	681	514	425	280	145	735	560	465	
102 030-43	681	514	490	280	210	735	560	530	
102 030-51	681	514	460	380	80	735	560	500	
102 030-52	681	514	525	380	145	735	560	565	
102 030-53	681	514	590	380	210	735	560	630	
102 030-54	681	514	668	380	288	735	560	700	
102 029	682	327	360	280	80	740	375	400	5.8
102 044	685	635	195	95	100	740	685	235	8.8
102 048	693	148	207	100	107	720	200	240	3.0
102 002-21	705	280	200	150	50	765	330	230	5.6
102 002-31	705	280	270	220	50	765	330	300	5.7
102 002-32	705	280	360	220	140	765	330	390	5.8
102 002-41	705	280	330	280	50	765	330	360	5.8
102 002-42	705	280	420	280	140	765	330	450	5.9
102 086	710	280	275	135	140	760	330	315	5.5
102 034-11	740	340	245	120	125	800	395	285	5.0
102 034-31	740	340	485	360	125	800	400	525	
102 066	745	350	383	188	195	800	400	425	7.0
80 80 03 S	745	745	175	120	55	800	800	210	9.1
80 80 04 S	745	745	240	185	55	800	800	275	9.5
80 80 05 S	745	745	305	185	120	800	800	340	9.9
80 80 06 S	745	745	370	185	185	800	800	405	10.3
80 80-165 Trolley	745	745	165	85	80	810	800	255	10.8
80 80-230 Trolley	745	745	230	150	80	810	800	320	11.2
80 80-270 Trolley	745	745	270	150	120	810	800	360	11.6
80 80-335 Trolley	745	745	335	150	185	810	800	425	12.0
102 003-21	750	330	200	150	50	810	380	230	5.8
102 003-31	750	330	270	220	50	810	380	300	5.9
102 003-32	750	330	360	220	140	810	380	390	6.0
102 003-41	750	330	330	280	50	810	380	360	6.0
102 003-42	750	330	420	280	140	810	380	450	6.2
102 063-750	750	210	143	68	75	770	260	185	3.8
80 40 03 S	750	350	175	120	55	800	400	210	5.1
80 40 04 S	750	350	240	185	55	800	400	275	5.4
80 40 05 S	750	350	305	185	120	800	400	340	5.7
80 40 06 S	750	350	370	185	185	800	400	405	6.0
80 40-165 Trolley	750	350	165	85	80	815	400	255	6.8
80 40-230 Trolley	750	350	230	150	80	815	400	320	7.1
80 40-270 Trolley	750	350	270	150	120	815	400	360	7.4
80 40-335 Trolley	750	350	335	150	185	815	400	425	7.7
80 48 03 S	750	435	175	120	55	800	480	210	5.7
80 48 04 S	750	435	240	185	55	800	480	275	6.1
80 48-230 Trolley	750	435	230	150	80	815	480	320	7.8
80 48 05 S	750	435	305	185	120	800	480	340	6.4
80 48 06 S	750	435	370	185	185	800	480	405	6.7
80 48-165 Trolley	750	435	165	85	80	815	480	255	8.4
80 48-270 Trolley	750	435	270	150	120	815	480	360	8.1
80 48-335 Trolley	750	435	335	150	185	815	480	425	8.4
80 56 03 S	750	510	175	120	55	800	560	210	6.4
80 56 04 S	750	510	240	185	55	800	560	275	6.7
80 56 05 S	750	510	305	185	120	800	560	340	7.1
80 56 06 S	750	510	370	185	185	800	560	405	7.4
80 56-165 Trolley	750	510	165	85	80	815	560	255	8.1
80 56-230 Trolley	750	510	230	150	80	815	560	320	8.4

80 56-270 Trolley	750	510	270	150	120	815	560	360	8.8
80 56-335 Trolley	750	510	335	150	185	815	560	425	9.1
80 64 03 S	750	590	175	120	55	800	640	210	7.0
80 64 04 S	750	590	240	185	55	800	640	275	7.4
80 64 05 S	750	590	305	185	120	800	640	340	7.8
80 64 06 S	750	590	370	185	185	800	640	405	8.2
80 64-165 Trolley	750	590	165	85	80	815	640	255	8.7
80 64-230 Trolley	750	590	230	150	80	815	640	320	9.1
80 64-270 Trolley	750	590	270	150	120	815	640	360	9.5
80 64-335 Trolley	750	590	335	150	185	815	640	425	9.9
80 72 03 S	750	670	175	120	55	800	720	210	8.4
80 72 04 S	750	670	240	185	55	800	720	275	8.8
80 72 05 S	750	670	305	185	120	800	720	340	9.2
80 72 06 S	750	670	370	185	185	800	720	405	9.6
80 72-165 Trolley	750	670	165	85	80	820	720	255	10.1
80 72-230 Trolley	750	670	230	150	80	820	720	320	10.5
80 72-270 Trolley	750	670	270	150	120	820	720	360	10.9
80 72-335 Trolley	750	670	335	150	185	820	720	425	11.3
Trolley 2006-340	750	590	275	125	150	810	640	340	9.9
102 065-21	755	660	237	140	97	820	725	290	
102 065-22	755	660	287	140	147	820	725	340	
102 065-41	755	660	392	295	97	820	725	445	
102 065-42	755	660	442	295	147	820	725	495	
102 065-44	755	660	597	295	302	820	725	650	11.0
102 159-11	755	555	125	70	55	810	600	175	6.3
102 159-21	755	555	195	140	55	810	600	245	7.3
102 159-22	755	555	290	140	150	810	600	340	7.9
102 159-31	755	555	285	230	55	810	610	335	7.9
102 159-32	755	555	380	230	150	810	610	430	8.6
102 159-33	755	555	465	230	235	810	610	515	9.2
102 159-41	755	555	380	325	55	810	610	430	8.9
102 159-42	755	555	475	325	150	810	610	525	9.6
102 159-43	755	555	560	325	235	810	610	610	10.1
102 159-44	755	555	655	325	330	810	610	705	10.9
102 159-51	755	555	440	385	55	810	610	490	9.3
102 159-52	755	555	535	385	150	810	610	585	9.9
102 159-53	755	555	620	385	235	810	610	670	10.7
102 159-54	755	555	715	385	330	810	610	765	11.5
102 159-55	755	555	775	385	390	810	610	825	11.9
Trolley 2013-400	764	356	325	245	80	830	405	400	
Trolley 2013-445	764	356	370	245	125	830	405	445	
Trolley 2013-455	764	356	380	300	80	830	405	455	
Trolley 2013-500	764	356	425	300	125	830	405	500	
102 080-11	780	760	170	80	90	850	850	210	14.0
102 080-21	780	760	270	180	90	850	850	315	15.0
102 080-22	780	760	370	180	190	850	850	410	16.5
102 080-41	780	760	475	385	90	850	850	515	16.0
102 080-42	780	760	575	385	190	850	850	615	17.0
102 080-44	780	760	780	385	395	850	850	820	17.8
102 006-11	785	525	205	100	105	835	575	245	6.8
102 006-21	785	525	295	190	105	845	575	335	6.9
102 006-22	785	525	385	190	195	845	575	425	7.0
102 006-31	785	525	360	255	105	845	575	400	7.8
102 006-32	785	525	450	255	195	845	575	490	7.9
102 006-41	785	525	435	330	105	845	575	475	8.2
102 006-42	785	525	525	330	195	845	575	565	8.5
102 006-43	785	525	590	330	260	845	575	630	8.8
102 043-21	793	793	280	170	110	860	850	320	
102 043-22	793	793	335	170	165	860	850	375	

102 043-31	793	793	350	240	110	860	850	390	
102 043-32	793	793	405	240	165	860	850	450	
102 043-33	793	793	485	240	245	860	850	530	
102 053	800	445	495	400	95	870	500	535	7.6
102 074-31	845	575	235	155	80	890	620	265	9.5
102 074-33	845	575	320	155	165	890	620	350	9.8
102 074-41	845	575	285	205	80	890	620	318	9.0
102 074-43	845	575	370	205	165	890	620	400	9.9
102 074-44	845	575	420	205	215	890	620	450	10.1
102 074-51	845	575	340	260	80	890	620	370	10.2
102 074-53	845	575	425	260	165	890	620	455	10.3
102 074-54	845	575	475	260	215	890	620	505	10.5
102 074-55	845	575	520	255	265	890	620	550	10.8
102 074-61	845	575	385	305	80	890	620	415	10.9
102 074-63	845	575	470	305	165	890	620	500	11.0
102 074-64	845	575	520	305	215	890	620	550	11.5
102 074-65	845	575	570	305	265	890	620	600	12.0
102 074-66	845	575	620	305	315	890	620	650	12.5
102 060	850	655	580	290	290	915	710	620	14.5
102 156-21	875	352	185	120	65	940	410	225	
102 156-22	875	352	245	120	125	940	410	285	
102 156-31	875	352	255	190	65	940	410	295	7.0
102 156-32	875	352	315	190	125	940	410	355	7.3
102 156-33	875	352	385	190	195	940	410	425	7.5
102 156-41	875	352	325	260	65	940	410	365	7.4
102 156-42	875	352	385	260	125	940	410	425	7.6
102 156-43	875	352	455	260	195	940	410	495	7.8
102 156-44	875	352	525	260	265	940	410	565	8.0
102 082-11	880	450	220	105	115	945	510	250	7.0
102 082-21	880	450	320	205	115	945	510	350	7.5
102 082-22	880	450	420	205	215	945	510	450	7.8
102 082-31	880	450	420	305	115	945	510	450	7.8
102 082-32	880	450	520	305	215	945	510	550	7.9
102 082-33	880	450	620	305	315	945	510	650	8.2
102 073-11	885	290	197	92	105	935	335	235	5.8
102 073-21	885	285	319	214	105	935	335	355	6.6
102 073-22	885	285	441	214	227	935	335	475	7.1
102 168-11	897	509	185	90	95	955	565	225	
102 168-21	897	509	285	190	95	955	565	325	
102 168-22	897	509	385	190	195	955	565	425	
102 018-11	905	905	205	100	105	970	970	245	18.5
102 018-21	905	905	295	190	105	970	970	335	19.0
102 018-22	905	905	385	190	195	970	970	425	19.0
102 020-22	914	724	295	145	150	985	790	335	17.5
102 020-32	914	724	440	290	150	985	790	480	17.5
102 020-33	914	724	585	290	295	985	790	625	19.0
102 091-11	950	550	210	100	110	1005	605	250	7.0
102 091-31	950	550	390	280	110	1005	605	430	10.5
102 091-33	950	550	557	275	282	1005	605	595	13.5
102 175-11	958	680	175	85	90	1025	745	225	
102 175-21	958	680	220	130	90	1025	745	270	
102 175-22	958	680	270	130	140	1025	745	320	
102 175-41	958	680	480	390	90	1025	745	530	
102 175-42	958	680	530	390	140	1025	745	580	
102 175-44	958	680	785	390	395	1025	745	835	
102 025-31	975	370	185	130	55	1035	420	225	6.0
102 025-33	975	370	270	130	140	1030	420	310	6.6
102 171-21	980	570	270	170	100	1035	625	310	
102 171-22	980	570	350	170	180	1035	625	390	

102 171-31	980	570	385	285	100	1035	625	425	
102 171-32	980	570	465	285	180	1035	625	505	
102 171-33	980	570	580	285	295	1035	625	620	
102 089	995	810	400	195	205	1065	880	440	16.0
102 009-11	1005	295	215	105	110	1060	350	255	6.3
102 009-21	1005	295	335	225	110	1065	350	375	7.1
102 056	1012	652	310	150	160	1080	715	350	12.0
102 049	1020	145	200	95	105	1045	200	235	4.1
102 033	1045	260	203	98	105	1070	310	245	5.5
102 063-1050	1045	210	143	68	75	1070	260	185	4.8
102 189-11	1082	690	185	95	90	1150	755	245	
102 189-21	1082	690	285	195	90	1145	750	345	
102 189-22	1082	690	395	195	200	1145	750	455	
102 189-31	1082	690	385	295	90	1145	750	445	
102 189-32	1082	690	495	295	200	1145	750	555	
102 189-33	1082	690	595	295	300	1145	750	655	
102 189-41	1082	690	485	395	90	1145	750	545	
102 189-41 Trolley	1082	690	485	395	90	1155	750	555	
102 189-42	1082	690	595	395	200	1145	750	655	
102 189-43	1082	690	695	395	300	1145	750	755	
102 189-44	1082	690	795	395	400	1145	750	855	
102 041-11	1117	255	120	60	60	1150	310	160	6.1
102 041-21	1117	255	170	110	60	1150	310	210	6.5
102 041-22	1117	255	225	110	115	1150	310	265	
102 180-21	1142	345	225	155	70	1200	400	260	
120 40 03	1150	350	175	120	55	1205	400	215	
120 40 04	1150	350	240	185	55	1205	400	280	
120 40 05	1150	350	305	185	120	1205	400	345	
120 40 06	1150	350	370	185	185	1205	400	410	
120 40 07	1150	350	305	250	55	1205	400	345	
120 40 08	1150	350	370	250	120	1205	400	410	
120 40 09	1150	350	435	250	185	1205	400	475	
120 40 10	1150	350	500	250	250	1205	400	540	
120 40-200 Trolley	1150	350	200	120	80	1215	400	260	
120 40-265 Trolley	1150	350	265	185	80	1215	400	325	
120 40-270 Trolley	1150	350	305	185	120	1215	400	365	
120 40-371 Trolley	1150	350	370	250	120	1215	400	430	
120 40-330 Trolley	1150	350	330	250	80	1215	400	390	
120 40-370 Trolley	1150	350	370	185	185	1215	400	430	
120 40-435 Trolley	1150	350	435	250	185	1215	400	495	
120 40-500 Trolley	1150	350	500	250	250	1215	400	560	
102 078-21	1155	770	275	180	95	1240	845	335	18.4
102 078-22	1155	770	375	180	195	1240	845	435	20.0
102 078-31	1155	770	375	280	95	1240	845	435	19.6
102 078-32	1155	770	475	280	195	1240	845	535	21.1
102 078-33	1155	770	575	280	295	1240	845	635	22.4
102 078-41	1155	770	475	380	95	1240	845	535	21.0
102 078-42	1155	770	575	380	195	1240	845	635	22.4
102 078-42 Trolley	1155	770	585	390	195	1240	845	665	23.7
102 078-43	1155	770	675	380	295	1240	845	735	23.7
102 078-44	1155	770	775	380	395	1240	845	835	25.0
102 054	1168	351	370	180	190	1225	410	410	9.5
102 013-21	1170	495	190	130	60	1230	540	230	10.7
102 013-22	1170	495	265	130	135	1230	540	300	12.0
102 078-11	1178	783	175	80	95	1240	845	235	16.0
102 031-11	1195	405	313	153	160	1255	455	345	9.2
102 031-21	1195	405	408	248	160	1255	455	440	9.8
102 007-11	1223	1025	195	95	100	1290	1090	255	23.0
102 007-31	1223	1025	380	280	100	1290	1090	440	25.0

102 007-33	1223	1025	565	280	285	1290	1090	625	27.0
102 014-11	1240	833	265	160	105	1305	895	305	17.0
102 014-21	1240	833	315	210	105	1305	895	355	17.0
102 014-22	1240	833	370	210	160	1305	895	410	17.0
102 015-11	1275	260	135	65	70	1300	310	175	6.0
102 015-21	1275	260	170	100	70	1300	310	210	6.3
102 015-22	1275	260	205	100	105	1300	310	245	6.6
102 017-00	1300	700	195	95	100	1370	765	255	
102 017-10	1300	700	280	180	100	1370	765	340	
102 017-11	1300	700	365	180	185	1370	765	425	21.0
102 017-20	1300	700	435	335	100	1370	765	495	
102 017-21	1300	700	520	335	185	1370	765	580	22.0
102 017-22	1300	700	675	335	340	1370	765	735	22.0
102 096	1335	645	410	200	210	1400	710	450	18.0
102 094-21	1340	390	165	90	75	1395	435	195	
102 094-22	1340	390	185	90	95	1395	435	215	
102 094-31	1340	390	205	130	75	1395	435	235	
102 094-32	1340	390	225	130	95	1395	435	255	
102 094-33	1340	390	260	130	130	1395	435	290	
102 094-41	1340	390	255	180	75	1395	435	285	
102 094-42	1340	390	275	180	95	1395	435	305	
102 094-43	1340	390	310	180	130	1395	435	340	
102 094-44	1340	390	365	180	185	1395	435	395	14.3
102 094-51	1340	390	430	355	75	1395	435	460	
102 094-52	1340	390	450	355	95	1395	435	480	
102 094-53	1340	390	485	355	130	1395	435	515	
102 094-54	1340	390	540	355	185	1395	435	570	
102 094-55	1340	390	715	355	360	1395	435	745	
102 005-21	1393	495	190	130	60	1450	540	225	13.0
102 005-22	1393	495	265	130	135	1450	540	295	13.5
102 162-31	1420	570	400	320	80	1490	635	450	19.3
102 162-32	1420	570	460	320	140	1490	635	510	19.9
102 157-21	1430	350	185	120	65	1455	405	215	
102 157-22	1430	350	245	120	125	1455	405	275	
102 157-31	1430	350	255	190	65	1455	405	285	11.0
102 157-32	1430	350	315	190	125	1455	405	345	11.5
102 157-33	1430	350	385	190	195	1455	405	415	12.0
102 185-31	1430	372	190	130	60	1490	425	225	
102 185-33	1430	372	267	130	137	1480	425	305	
102 035-21	1490	800	250	150	100	1560	870	320	
102 035-22	1490	800	300	150	150	1560	870	370	
102 035-41	1490	800	485	385	100	1570	880	555	30.0
102 035-42	1490	800	535	385	150	1570	880	605	31.0
102 035-44	1490	800	770	385	385	1570	880	840	33.0
102 016-11	1495	580	160	80	80	1560	640	195	18.8
102 016-21	1495	580	260	180	80	1560	640	295	20.0
102 016-22	1495	580	360	180	180	1560	640	395	23.2
102 188-11	1599	525	205	100	105	1660	590	265	
102 188-21	1599	525	260	155	105	1660	590	320	
102 188-22	1599	525	315	155	160	1660	590	375	
102 188-31	1599	525	310	205	105	1660	590	370	
102 188-32	1599	525	365	205	160	1660	590	425	
102 188-33	1599	525	415	205	210	1660	590	475	
102 188-33 Trolley	1599	525	415	205	210	1660	590	485	
102 038	1620	885	675	335	340	1700	970	745	33.0
102 063	1700	210	143	68	75	1750	260	185	6.7
102 095	1710	575	385	190	195	1810	650	430	23.0
102 021-21	1779	353	215	160	55	1845	415	255	12.5
102 021-22	1779	353	325	160	165	1845	415	365	13.4

102 011	1820	865	580	290	290	1890	930	620	30.0
102 170-21	1820	777	520	355	165	1920	840	560	
102 170-22	1820	777	720	355	365	1920	840	760	
102 071-11	1830	168	165	95	70	1855	225	200	7.0
102 071-21	1830	168	200	130	70	1855	225	235	7.1
102 071-22	1830	168	265	130	135	1855	225	305	7.3
102 158-21	1845	350	185	120	65	1880	400	285	17.5
102 158-22	1845	350	245	120	125	1880	400	275	
102 158-31	1845	350	255	190	65	1880	400	285	17.5
102 158-32	1845	350	315	190	125	1880	400	345	17.9
102 158-33	1845	350	385	190	195	1880	400	415	18.0
102 170-11	1848	777	320	155	165	1920	840	360	
102 042	1858	489	275	135	140	1925	550	315	21.0
102 160-11	1995	235	140	80	60	2035	275	170	15.0
102 160-21	1995	235	240	180	60	2035	275	270	15.3
102 160-22	1995	235	365	180	185	2035	275	395	15.5
102 001-21	2020	875	230	150	80	2090	940	290	35.9
102 001-22	2020	875	300	150	150	2090	940	360	36.1
102 001-31	2020	875	360	280	80	2090	940	420	36.3
102 001-32	2020	875	430	280	150	2090	940	490	37.0
102 001-33	2020	875	560	280	280	2090	940	620	37.3

Tel. : 01452 309782

Email : cases@hofbauer.co.uk